

## MV "REM SALTIRE"

SHIP DESIGN  
CLASSIFICATION  
BUILDER  
PORT OF REGISTRY  
FLAG  
MMSI  
IMO NUMBER  
DELIVERY

ST-327-L  
DNV  
Bergen Yards BMV AS  
Limassol  
Cyprus  
209254000  
9377016  
2008

OWNER:  
REGISTERED OWNER:

Rem Offshore AS  
Rem Saltire AS

MANAGER:

Rem Maritime AS  
N-6090 Fosnavåg

### MAIN DIMENSIONS

LENGTH O.A 111m  
LENGTH P.P 100.3m  
BREADTH 24m  
MAX DRAFT 7.5m  
GROSS TONNAGE 9603mt  
NET TONNAGE 2881mt  
DEADWEIGHT 6687mt  
LIGHTWEIGHT 5832.9mt

### CLASS NOTATIONS

DNV A1 ICE-C SF COMF-V(3)C(3) HELDK-SH, E0  
DYNPOS-AUTR CLEAN DK(+) TMON  
ERN: 99,99,99,68





## OUTLINE SPECIFICATION

### MACHINERY AND PROPELLER PLANTS

Main Engines:	4x Rolls Royce Bergen B32:40L9A
Emergency Generator:	1x 595kW Mitsubishi
Main Propulsion:	2x 4200kVA Marelli Diesel-Electric
Azimuth:	1x 1400kW Brunvoll
Bow tunnel thruster:	2x 2000kW Brunvoll
Stern thruster:	2x 1400kW Brunvoll

### CARGO CAPACITIES\*

Deck Cargo:	2260 mt
Deck Area:	1000 m <sup>2</sup>
Deck Strength:	10 mt/ m <sup>2</sup>
Fuel Oil:	2680.6 m <sup>3</sup>
Fresh Water:	696 m <sup>3</sup>
Ballast Water:	2318 m <sup>3</sup>

### ENVIRONMENT AND CARGO CONTROL PLANTS

Incinerator:	Kai Lindegard SH-20-SM/SR
Hot water Boiler:	Pyro AS
Equipment on deck:	Norwegian Deck Machinery AS

### NAVIGATION

DP System:	Kongsberg K Pos DP 22
Joystick System:	Kongsberg Joystick
Motion System:	HPR, 2x seatex & 1x Client HIPAP Pole
Fanbeam:	1x MDL mk 4 fanbeam
Speed log:	1x Furuno DS-80
DGPS:	1x Seatex DPS i4, 1x Seatex DPS i4
Wind Gauge:	2x WindObserver II Ultrasonic
Radar 1:	1x Furuno FAR-2827
Radar 2:	1x Furuno FAR-2837S
Echo Sounder:	Furuno FE 700
Gyro:	3x Kongsberg MGC-R2
VDR:	Furuno VR-3000
GPS:	2x Furuno GP 150
ECDIS:	2x Tecdis T-2136
Autopilot:	1x Simrad Robertson AP9 Mk3

### INDICATIVE SPEED & FUEL CONSUMPTION

Full (Service) speed:	14.0 knots, 25 m <sup>3</sup> /d
Economic speed:	12.0 knots, 19 m <sup>3</sup> /d
DP operation:	10-15 m <sup>3</sup> /d at position keeping
Port stay:	4 m <sup>3</sup> /d

### CARGO HANDLING EQUIPMENT

1x kn. Boom crane SB Hydramarine	SWL 150 mt/ 10m
1x kn. Boom crane PS Hydramarine	SWL 10 mt/ 10m
Mooring Winch	2x 19.6 T
Windlass	2x 19.6 T
Capstan	3x Type C-8
Tugger Winch PS/ SB	2x 4 T
Cargo securing	12x Rollers

### LIFE SAVING EQUIPMENT


Ship Certificate:	105 persons
Life Rafts:	6x 35 pax Viking Float-free
MOB boat:	Monohull waterjet 170kW
Lifejackets:	110x seamaster
Survival Suits:	109x Helly Hansen Nordic N6

### COMMUNICATION

Navtex:	Furuno NX-700B
Radar Transponder:	2x Jotron Tron SART 20
DSC Terminal:	2x Furuno FM-8800S
AIS:	Furuno FA 150
EPIRB manual:	1x Jotron Tron-60S
EPIRB Free Float:	1x Jotron Tron-60GPS
Radio Station:	Furuno FS-2570C MF/HF
VHF(Emerg) Portable:	3x Jotron Tron TR 20 GMDSS
VHF Station:	2x Furuno FM-8800S
UHF Portable:	6x Motorola GP-340
UHF Portable:	4x Motorola DP-4400e
UHF Portable:	4x Motorola DP-4400ex
Inmarsat C:	2x Furuno Felcom-15
Iridium:	Iridium Pilot BUG1501
Sound System:	Phontech 8300 MkII
Emergency:	Vingtor VSP-213-L
PA System:	Vingtor VMP 603
Sat. Communication:	+ 42 09 25 41 5
Mobile Phone:	+ 47 23 67 62 47
Vessel E-Mail:	<a href="mailto:captain@saltire.remoffshore.no">captain@saltire.remoffshore.no</a> <a href="mailto:bridge@saltire.remoffshore.no">bridge@saltire.remoffshore.no</a>

### ACCOMMODATION

Single Cabins:	37 with bathrooms
Double Cabins:	34 with bathrooms
Hospital:	1 Highest standard
Office:	10 fully outfitted
Mess Room:	3 comfortably outfitted
Gymnasium:	1 fully outfitted
Auditorium:	1x auditorium/cinema – 54 seats
Conference room:	1





**\*All tank capacities are 100% of net. volume**

**"Details believed to be correct and given in good faith, but without guarantee"**

